
This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	4/2/2015	DPD	JAG



NOTE: REF. AGUSTA T/N: 3G6305G02831.

TOOL KIT, MGB UPPER TITLE FITTING REPLACEMENT

B/O INFORMATION OR SPECIFICATIONS B/O Part # Description Material PG. DWG NO. QTY RBW6305G02831-3G -1 ADAPTER, MGB UPPER FITTING REMOVAL MAT'L RBW6305G10931-3G UNLESS OTHERWISE SPECIFIED APPROVED -3 4 PIN, MGB UPPER FITTING INSTALLATION RBW6305G11051-3G DIMENSIONS ARE IN INCHES .XXX ± .005 -5 4 PIN, M/R SERVOACTUATOR FITTING INSTL RBW6305G11151-3G FRACTIONS ± 1/8 .XX ± .01 .X ± .1 ANGLES ±.5° -7 PLACARD PLASTIC 2 I. BREAK ALL SHARP EDGES .015 x 45° SPEC -9 3 B/O ВОТГОМ ГОАМ Y-20, BLACK 1.40 X 4.25 X 8.25 I.R. SPECIALTY OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING -11 TOP FOAM 4 B/O Y-20 BLACK .83 X 4.25 X 8.25 I.R. SPECIALTY SCALE 3/10/2015 -13 CASE N/S B/O PLASTIC PELICAN #APP-1060 1:2

DRAWN BY: DUERFELDT

USED ON MODEL AW139 SHEET 1 OF 4

REV

REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR. INITIAL APPROVED REV ECR DESCRIPTION DATE - 7.50 RBW6305G02831-3G **CONTENTS LIST TOOL NUMBER** DESCRIPTION QTY. RBW6305G10931-3G ADAPTER, MGB UPPER 1 FITTING REMOVAL 3.50 RBW6305G11051-3G PIN, MGB UPPER FITTING INSTALLATION 3 RBW6305G11151-3G PIN, M/R SERVOACTUATOR 4 FITTING INSTALLATION 4X R .13 NOTE: USE PDF. TITLE TOOL KIT, MGB UPPER FITTING REPLACEMENT DWG NO. REV RBW6305G02831-3G-7 DRAWN BY: DUERFELDT MAT'L PLASTIC 1. BREAK ALL SHARP EDGES .015 x 45° SPEC OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AW139 **PLACARD** SCALE 3/10/2015 SHEET 2 OF 4 1:2

